

## MKS-34/SW - 2way Speaker Cabinet



**Pairs of 2-way speaker systems, 30 W, 4  $\hat{I}$ ©**

- Dome tweeter
- Excellent sound quality
- Black (SW) or white (WS) plastic cabinet
- Movable mounting bracket
- Mounting in corners possible as well due to bevelled shape of cabinets

## Technische gegevens:

Active/passive	: passive
Transmission method	: -
Impedance	: 4 Ω
Frequency range	: 80-20,000 Hz
Rated power	: -
Max. power	: -
THD	: -
S/N ratio	: -
Input signal	: -
System	: 2-way
Full range speaker	:
Bass speaker	: bass speaker
Midrange speaker	: -
Tweeter	: dome tweeter
Number of speakers	: 2
Speaker size	: -
Power rating	: 30 W
Peak music power output	: 45 W
Sensitivity	: 87 dB/W/m
Max. rated SPL	: 101 dB
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	:
Housing material	: plastic
Colour	: black
Mounting device	: for wall hooks
Protected against ball rebound	: -
Protective class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: -
Width	: 130 mm
Height	: 192 mm
Depth	: 115 mm
Weight	: 1.3 kg
Inputs	: spring-load. speaker term.



---

Outputs	: -
Replacement voice coil	:
Other features	: -
Accessories	: